

# SKG-IKOB PRODUCTCERTIFICATE

## 479.652.01

Date of issue: 03-07-2019



### Certificate holder

SAVIO THESAN S.p.A.  
Via Torino 25  
I-10050 Chiusa di San Michele  
T: +39 011 964 3464  
E: info@savio.it  
I: www.savio.it



### Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

### rim cam barrel hinge set of 3

delivered under logo / brand:

### SAVIO

delivered under type- and / or article number:

### MECHANICA MECSKG 3/2

meets class 3 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

A handwritten signature in blue ink, consisting of a stylized, cursive script.

ir. H.A.J. van Dartel  
Certification manager

Verify at [www.sterrenwijzer.nl](http://www.sterrenwijzer.nl) if this certificate is still valid and actual.  
This certificate contains 2 pages.

CERTIFICATE

SKG-IKOB Certificatie  
Poppenbouwing 56  
4191 NZ Geldermalsen

Postbus 202  
4190 CE Geldermalsen

T 088-2440100  
info@skgikob.nl  
www.skgikob.nl

# SKG-IKOB PRODUCTCERTIFICATE

SAVIO THESAN S.p.A.  
Number: 479.652.01

page 2 of 2

## 1. PRODUCT

rim cam barrel hinge set of 3

## PRODUCT TYPE

hinge

---

## 2. TECHNICAL SPECIFICATION

Operating: N.A.  
Construction: 1 barrel hinge of 2 parts, frame-/ and leafpart  
System: rim  
Material: frame and leaf part: aluminium coated or anodised;  
pen: inox  
Dimension: frame-part: 45,5/49/52,5/78/85x35/45/51x40 mm;  
leaf-part: 75,5/78/83,5/85/92/96x35/51x40 mm  
Fixing: per part: 2 x M8 inox one way in zamak installation ancre , dim: 58 x14x14 mm  
Intended use: metal, door-inward-opening, door-outward-opening  
inside and outside opening aluminium doors and windows

---

## 3. DELIVERY

The delivery includes an installation instruction:  
Alg: April 2013 + SKG: 89011635 - REV.0 - 114058;

---

## 4. PERFORMANCES

A rim cam barrel hinge set of 3 according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this rim cam barrel hinge, set of 3 is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 3 of NEN 5096 and EN 1627, if:

- the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled.

A window or door, in existing buildings, in which this rim cam barrel hinge, set of 3 is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

- the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).
-