



Certificate

Indoor Air Comfort Gold

Knauf Plasterboards

Certified Product

Knauf di Knauf S.r.l. s.a.s

Applicant

The above product complies with the Indoor Air Comfort Gold specifications, version 8.0 (2022). These include both inspection of factory production and VOC emissions testing according to EN 16516, at regular intervals. Indoor Air Comfort Gold combines all key European and selected global requirements on VOC product emissions. Additional requirements not related to VOC product emissions, for example content of certain substances or odour are not combined or evaluated. The following VOC emission requirements are combined and the certified product shows compliance with these VOC emission related limit values:

- France VOC class A+
- Germany (AgBB/ABG)
- Italian CAM Edilizia
- EU Taxonomy Regulation
- LEED (ACP)
- BREEAM New Construction
- WELL Building
- SKA Rating
- French HQE certification
- EMICODE EC1 Plus
- Nordic Swan
- M1
- Danish Indoor Climate Label (Emission Class 1)
- BVB (Sweden)
- Miljöbyggnad (Sweden)
- Eco Product Norway
- SINTEF (Norway)
- Cradle to Cradle
- very low emitting products according to EN 16798-1
- Singapore Green Label
- Global GreenTag
- Declare 2.0

Issue date: 05 July 2023

Product type: Plasterboards

Validity date: 05 July 2028

Certificate number: IACG-458-01-01-2023

This certificate is valid as specified if regular surveillance and testing is done.

Thomas Neuhaus, Head of Certification Body



Product Testing



Appendix to Certificate IACG-458-01-01-2023

Knauf di Knauf S.r.l. s.a.s

receives the Indoor Air Comfort Gold certificate with validity 05 July 2028

for below product group, including subgroups and individual products as listed:

Product group: Knauf Plasterboards

Product type: Plasterboards

Products included:

Diamant 12.5 mm
GKB 9.5 mm, 12.5 mm and 15.0 mm
GKB + BV 12.5 mm
GKB Advanced 12.5 mm
GKB Advanced + BV 12.5 mm
GKF 12.5 mm and 15.0 mm
GKI 12.5 mm
Kasa 12.5 mm
Lastra A-Zero 12.5 mm
Lastra F-Zero 12.5 mm and 15.0 mm

The products in this group are based on identical or similar recipe and are produced under equivalent conditions. Grouping of the products and inspection of the production process is part of the Indoor Air Comfort Gold certification. A worst-case product, which is representative for the whole group, is being tested frequently.