



Classic

Slides with standard bracket
Scorrevoli con staffa normale



Classic

PATENTED

Classic is the **standard bracket** sliding system for wooden doors, available with traditional, oil damper and air damper stoppers.

Economic and easy to assemble, with floor distance of only 6 mm.

Classic system (kg. 50-80-120) is equipped with a damping system in rubber which significantly reduces the noise level.

Classic è il sistema di scorrimento per porte in legno con **staffa tradizionale**, disponibile con fermi tradizionali, fermi ammortizzati ad aria e fermi idraulici.

Economico e facile da montare, ha uno spazio luce inferiore di soli 6 mm.


Classic, inoltre, è dotato (nelle portate da kg. 50-80-120) di un sistema di ammortizzamento in gomma che riduce sensibilmente la rumorosità.





Classic

Slides with standard bracket
Scorrevoli con staffa normale



600 ÷ 1500 mm





30 ÷ 250 kg





6 ÷ 15 mm

N.2 Fluid dampers
N.2 Fermi ammortizzati Fluid



N.1 Fluid damper + N.1 Shock absorber
N.1 Fermo ammortizzato Fluid + N.1 Fermo a pinza ammortizzato



50 kg
80 kg
120 kg

FLUID

N.2 Shock absorber
N.2 Fermi a pinza ammortizzati

